



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

STATISTICAL REPORTS OF MORBIDITY AND MORTALITY, STATES AND CITIES
OF THE UNITED STATES—UNTABULATED.

CALIFORNIA.—Month of April, 1908. Estimated population, 2,001,193. Total number of deaths reported to the State board of health, 2,525, including diphtheria 33, enteric fever 28, measles 9, scarlet fever 15, smallpox 2, whooping cough 16, and 423 from tuberculosis.

Sacramento.—Month of April, 1908. Estimated population, 40,000. Total number of deaths, 48, including diphtheria 1 and 10 from tuberculosis. Cases: Diphtheria 8, smallpox 1, and scarlet fever 6.

FLORIDA.—Reports from the State board of health for the week ended May 30, 1908, show as follows: Enteric fever—*Jacksonville*, 8 cases; *Ocala*, 3 cases; *Daytona*, *McClenny*, *Dade City*, *Lemon City*, and *Tallahassee*, each 1 case. Diphtheria—*Jacksonville* and *Tampa*, each 1 case. Tuberculosis—*Jacksonville*, *Ocala*, *Havana*, and *Key West*, each 1 case.

ILLINOIS—*Quincy*.—Month of May, 1908. Estimated population, 43,000. Total number of deaths, 56, including diphtheria 1, enteric fever 1, and 8 from tuberculosis. Cases: Diphtheria 12 and enteric fever 3.

INDIANA—*Anderson*.—Month of May, 1908. Estimated population, 25,398. Total number of deaths, 27, including 7 from tuberculosis. Cases: Tuberculosis 7.

Muncie.—Month ended June 4, 1908. Estimated population, 34,036. Total number of deaths, 20, including 4 from tuberculosis. Cases: Diphtheria 3, enteric fever 1, scarlet fever 4, tuberculosis 2, smallpox 4, and whooping cough 6.

IOWA—*Cedar Rapids*.—Month of May, 1908. Estimated population, 30,000. Total number of deaths, 34, including diphtheria 2, scarlet fever 1, whooping cough 1, and 3 from tuberculosis. Cases: Scarlet fever 9, diphtheria 2, measles 4, and smallpox 2.

Davenport.—Month of May, 1908. Estimated population, 40,000. No deaths reported. Cases: Diphtheria 5, scarlet fever 4, enteric fever 6, measles 30, smallpox 7, and whooping cough 5.

KENTUCKY—*Henderson*.—Month of May, 1908. Estimated population, 17,500. Total number of deaths, 14. Cases: Enteric fever 8, measles 4, and whooping cough 1.

MASSACHUSETTS.—Reports from the State board of health for the month of April, 1908, show as follows: Week ended April 4, 1908. Forty-six cities and towns having an aggregate estimated population of 2,305,900, report 796 deaths, including diphtheria 11, enteric fever 4, measles 8, and 76 from phthisis pulmonalis. Cases: Diphtheria 161, enteric fever 28, measles 886, scarlet fever 178, whooping cough, 11, and tuberculosis 150.

Week ended April 11, 1908. Number of localities reporting, 47. Estimated population 2,318,465. Total number of deaths, 742; diph-

theria 14, enteric fever 3, measles 6, phthisis pulmonalis 66. Cases: Diphtheria 131, enteric fever 320, measles 924, scarlet fever 214, whooping cough 20, and tuberculosis 122.

Week ended April 18, 1908. Number of localities reporting, 47. Estimated population, 2,266,443. Total number of deaths, 808; diphtheria 7, enteric fever 22, measles 10, phthisis pulmonalis 76. Cases: Diphtheria 123, enteric fever 245, measles 868, scarlet fever 178, whooping cough 16, and tuberculosis 97.

Week ended April 25, 1908. Number of localities reporting, 46. Estimated population, 2,306,835. Total number of deaths, 778; diphtheria 10, enteric fever 18, measles 10, phthisis pulmonalis 55. Cases: Diphtheria 126, enteric fever 140, measles 882, scarlet fever 192, whooping cough 16, and tuberculosis 100.

MICHIGAN.—Month of April, 1908. There were 3,203 deaths returned to the department of state as having occurred during the month of April, which corresponds to an annual death rate of 14.8 per 1,000 estimated population. There was a decrease of 178 from March, and a decrease of 9 from the number returned for the corresponding month of 1907.

Important causes of death were as follows: Pulmonary tuberculosis, 218; other forms of tuberculosis, 37; enteric fever, 35; diphtheria and croup, 19; scarlet fever, 25; measles, 7; whooping cough, 38.

MONTANA.—Month of April, 1908. Estimated population, 280,000. Reports to the State board of health show as follows: Total number of deaths, 375, including diphtheria 3, enteric fever 3, scarlet fever 6, measles 1, whooping cough 3, and 20 from tuberculosis. Cases: Diphtheria 108, enteric fever 10, measles 96, scarlet fever 159, and smallpox 110.

Anaconda.—Month of April, 1908. Estimated population, 12,267. Total number of deaths, 16. Cases: Scarlet fever 1 and diphtheria 1.

Billings.—Month of April, 1908. Estimated population, 12,000. Total number of deaths, 20, including diphtheria 1, scarlet fever 1, whooping cough 1, and 1 from tuberculosis. Cases: Diphtheria 12, scarlet fever 4, and measles 7.

Bozeman.—Month of April, 1908. Estimated population, 4,000. Total number of deaths, 8. Cases: Diphtheria 1 and smallpox 1.

Great Falls.—Month of April, 1908. Estimated population, 16,000. Total number of deaths, 18, including enteric fever 1 and 2 from tuberculosis. Cases: Diphtheria 8, enteric fever 4, measles 1, and scarlet fever 5.

Helena.—Month of April, 1908. Estimated population, 16,770. Total number of deaths, 20, including diphtheria 1 and 4 from tuberculosis. Cases: Measles 1, scarlet fever 6, and smallpox 3.

Livingston.—Month of April, 1908. Estimated population, 3,500. Total number of deaths, 9, including 1 from tuberculosis. Cases: Diphtheria 1 and measles 7.

Missoula.—Month of April, 1908. Estimated population, 5,000. Total number of deaths, 22, including 2 from tuberculosis. Cases: Diphtheria 9, scarlet fever 21, measles 8, and smallpox 43.

NEW HAMPSHIRE—*Concord*.—Month of May, 1908. Estimated population, 20,000. Total number of deaths, 37, including diphtheria 1, enteric fever 1, and 2 from tuberculosis. Cases: Measles 13, diphtheria 1, scarlet fever 1, and tuberculosis 2.

Franklin.—Month of May, 1908. Estimated population, 6,000. Total number of deaths, 7. Cases: Measles 44, diphtheria 1, and scarlet fever 2.

NEW JERSEY.—Reports to the State board of health for the month ended May 15, 1908, show a total of 2,602 deaths, including diphtheria 41, enteric fever 28, measles 27, scarlet fever 46, whooping cough 23, and 408 from tuberculosis.

Morristown.—Month of May, 1908. Estimated population, 12,500. Total number of deaths, 25. Cases: Tuberculosis 1, measles 13, diphtheria 3, whooping cough 1, and scarlet fever 10.

Newark.—Six days ended May 29, 1908. Estimated population, 305,000. Total number of deaths 77, including diphtheria 3, enteric fever 2, measles 2, scarlet fever 3, and 11 from tuberculosis. Cases: Diphtheria 7, enteric fever 2, and scarlet fever 36.

NEW YORK—*Buffalo*.—Month of May, 1908. Estimated population, 410,000. Total number of deaths, 457, including diphtheria 1, measles 9, scarlet fever 7, whooping cough 7, and 48 from tuberculosis. Cases: Diphtheria 35, enteric fever 17, measles 304, scarlet fever 180, smallpox 1, whooping cough 120, and tuberculosis 83.

OHIO—*Canton*.—Month of April, 1908. Estimated population, 40,000. Total number of deaths not reported. One death from tuberculosis and 1 from diphtheria. Cases: Diphtheria 2, scarlet fever 8, smallpox 1, and tuberculosis 1.

Zanesville.—Month of May, 1908. Estimated population, 30,000. Total number of deaths, 26, including enteric fever 1, scarlet fever 1, and 1 from tuberculosis. Cases: Enteric fever 17, scarlet fever 10, and diphtheria 1.

PENNSYLVANIA—*Dunmore*.—Month of May, 1908. Estimated population, 17,500. Total number of deaths, 21, including 1 from diphtheria. Cases: Scarlet fever 1, diphtheria 1, and measles 3.

New Castle.—Month of May, 1908. Estimated population, 38,000. Total number of deaths not reported. Cases: Diphtheria 3, measles 22, and whooping cough 2.